

Script

Pantomime

Background

Important for aphasic patients as a way of communication

Items

- 8 items plus 3 practice items, of which only the first one has to be executed; the other two can be executed if necessary for ensuring task comprehension

Materials

- Evaluation sheet and pen
- Booklet with photos of the items

Instructions for the therapist

- The patient should pantomime the movements with the **ipsilesional** hand. It is **not necessary** to evaluate possible **supportive functions**, which are normally performed with the non-dominant hand
- The therapist starts with “*Show me how to*”, then turns the page of the booklet and finishes the instruction while simultaneously showing the photo (e.g. “*hit a nail with a hammer*”)
- The photo has to be presented **centrally**. Or in case of **neglect** it rather should be **shifted** towards the unaffected side, so the patient is able to perceive all important features of the object on the photo.
- **Always execute at least the 1st practice item**, use the additional practice items only if necessary

Instructions for the patient

“I will show you photos of some objects. Please show me with your left / right hand the typical movement you would make if you were holding the object in your hand. I will also name the typical movements. Please show me every movement twice. We will start with a practice item. If you have any questions, please do not hesitate to ask them.”

- if the first attempt is not correct: **“Please make sure you are pretending to hold *the object* (replace by the concrete object, e.g. “*the hammer*”) in your hand.”**

Evaluation and interpretation

– Production Scale

- includes one point respectively for **grip (G)**, **movement-content (M)** and **movement-orientation (O)** → as defined on the evaluation sheet
- a “First or Second Correct” on the Execution Scale can only be assigned if the patient meets all three criteria on the Production Scale for the first or second attempt, respectively.
- **Maximum number of points:** 24 points
- **Interpretation recommendation:** “The patient showed difficulties especially in the grip/ the movement-content/ the movement-orientation while performing the action. / The patient had no difficulties to execute the required movements.”

– Execution Scale

- **First Correct** (2 Points) = 1st pantomime is correct, this means grip, movement-content and movement-orientation are immediately correct and no Body-part-as-Object-Error (*BPO-Error = parts of the hand are used as the object itself*) was made
- **Second Correct** (1 Point) = pantomime is corrected successfully (by self-initiated correction or correction on request)
- **Total Error** (0 Points) = pantomime was wrong in 1st and in 2nd attempt; perseverations, non-corrections of false pantomimes or Body-part-as-Object-Errors as well as omitted movements are all evaluated as erroneous pantomimes
- **Maximum number of points:** 16 points
- **Interpretation recommendation:** “The patient had severe/ mild/ no difficulties when pantomiming the use of tools. He showed a lot of/ no perseverations. He frequently / rarely used Body-parts-as-Objects and was (not) able to correct the posture.”

Error examples

see Manual pages 36-37